

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1374	(717/124 or 717/125 or 717/127 or 717/129 or 717/130)".clss"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 13:40
S2	4044	(set\$4 or insert\$3 or establish\$3 or embed\$4 or designat\$3 or anchor\$3 or install\$5 or implement\$5 or creat\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 14:05
S3	403	(stor\$3 or log\$3 or sav\$3 or record\$3 or writ\$3 or collect\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1)) with (structure\$1 or repositor\$3 or database\$1 or table\$1 or storage\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 13:44
S4	28924	(halt\$3 or interrupt\$3 or paus\$3 or suspend\$3 or stop\$4) with execution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 13:44
S7	1598	interact\$6 same debug\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 13:47
S12	1314	S2 with (function\$1 or method\$1 or instruction\$1 or statement\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 13:54
S13	230	S7 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 13:54
S14	174	S13 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 13:54
S15	50	S14 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 13:54

S16	36	S15 and (object adj oriented)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 13:55
S17	8	S16 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 13:55
S18	6	S17 and S1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 13:55
S19	53078	(class\$2 with (abstract or parent or interface\$1 or base or derived)) or superclass\$2 or subclass\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 14:00
S20	60	S19 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 14:00
S21	37	S20 and (object adj oriented)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 14:01
S22	8	S21 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 14:01
S23	92	S2 with ((user\$1 or client\$1) near4 (input\$4 or request\$3 or prompt\$3 or command\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 14:51
S24	484	S4 with ((user\$1 or client\$1) near4 (input\$4 or request\$3 or prompt\$3 or command\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 14:06
S25	15	S23 and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 14:22

S27	20	(US-5740440-\$ or US-6266806-\$ or US-6266805-\$ or US-6240549-\$ or US-6240545-\$ or US-6189140-\$ or US-5960199-\$ or US-5940616-\$ or US-5926638-\$ or US-4885717-\$ or US-5845125-\$ or US-6077312-\$ or US-5560009-\$ or US-5093914-\$ or US-5630049-\$ or US-6091896-\$ or US-6550056-\$).did. or (US-20030106046-\$ or US-20010004766-\$ or US-20020129337-\$).did.	US-PGPUB; USPAT	OR	OFF	2004/08/19 14:54
S28	6	S27 and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 14:51
S29	5	S28 and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 14:53
S30	2	S29 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 14:52
S32	2	S28 and S19	US-PGPUB; USPAT	OR	OFF	2004/08/19 14:54
S33	720	(identifi\$6 or identify\$3 or determin\$5 or display\$3 or mark\$3 or analyz\$3 or label\$4 or categoriz\$3 or pinpoint\$3 or denot\$3 or indicat\$3) with (constructor\$1 or creator\$1) with (class\$2 or interface\$1 or object\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 17:48
S34	719	(display\$3 or show\$3 or \$2present\$6 or communicat\$3) with (constructor\$1 or creator\$1) with (class\$2 or interface\$1 or object\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 17:48
S35	238	(select\$3 or choos\$3 or chose\$1 or elect\$3) with (constructor\$1 or creator\$1) with (class\$2 or interface\$1 or object\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 17:48

S36	709	(set\$4 or insert\$3 or establish\$3 or embed\$4 or designat\$3 or anchor\$3 or install\$5 or implement\$5 or creat\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1)) with (statement\$1 or instruction\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 17:48
S37	991	(remov\$3 or delet\$3 or eliminat\$3 or edit\$3) with (breakpoint\$1 or (break adj point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 19:21
S38	71002	(insert\$3 or add\$3 or embed\$4 or set\$4) with (code\$1 or instruction\$1 or routine\$1 or procedure\$1) with (constructor\$1 or creator\$1 or method\$1 or function\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 17:49
S39	457	(hit\$4 or encounter\$3) with (breakpoint\$1 or (break adj point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 17:49
S40	133	(track\$3 or monitor\$3 or record\$3) with (number\$3 or count\$3) with (breakpoint\$1 or (break adj point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 17:49
S41	67570	(number\$3 or count\$3) with (meet\$3 or exceed\$3 or \$3pass\$3 or cross\$3 or hit\$3 or reach\$3) with (threshold\$1 or condition\$1 or limit\$5 or boundar\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 17:50
S42	92199	(object\$1 or class\$2) with (creat\$3 or instantiat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 17:50
S43	1086418	(number\$3 or count\$3 or time\$1) with (increment\$3 or increas\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 17:50
S44	119	((hit\$4 or encounter\$3) with (breakpoint\$1 or (break adj point\$1))) same ((halt\$3 or interrupt\$3 or paus\$3 or suspend\$3 or stop\$4) with execution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 17:50

S45	220	((identifi\$6 or identify\$3 or determin\$5 or display\$3 or mark\$3 or analyz\$3 or label\$4 or categoriz\$3 or pinpoint\$3 or denot\$3 or indicat\$3) with (constructor\$1 or creator\$1) with (class\$2 or interface\$1 or object\$1)) same user\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 17:50
S46	100	((select\$3 or choos\$3 or chose\$1 or elect\$3) with (constructor\$1 or creator\$1) with (class\$2 or interface\$1 or object\$1)) same user\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 17:51
S47	1	(((select\$3 or choos\$3 or chose\$1 or elect\$3) with (constructor\$1 or creator\$1) with (class\$2 or interface\$1 or object\$1)) same user\$1) and ((set\$4 or insert\$3 or establish\$3 or embed\$4 or designat\$3 or anchor\$3 or install\$5 or implement\$5 or creat\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1)))) and ((717/124 or 717/125 or 717/127 or 717/129 or 717/130)".clss")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 17:51
S48	1	((US-5560009-\$ or US-5740440-\$ or US-6266806-\$ or US-6266805-\$ or US-6240549-\$ or US-6240545-\$ or US-6189140-\$ or US-5960199-\$ or US-5940616-\$ or US-5926638-\$ or US-4885717-\$).did. or (US-20030106045-\$).did.) and ((number\$3 or count\$3) with (meet\$3 or exceed\$3 or \$3pass\$3 or cross\$3 or hit\$3 or reach\$3) with (threshold\$1 or condition\$1 or limit\$5 or boundar\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 17:51
S49	28	((identifi\$6 or identify\$3 or determin\$5 or display\$3 or mark\$3 or analyz\$3 or label\$4 or categoriz\$3 or pinpoint\$3 or denot\$3 or indicat\$3) with (constructor\$1 or creator\$1) with (class\$2 or interface\$1 or object\$1)) same (user near5 input)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 18:53

S50	2	((identifi\$6 or identify\$3 or determin\$5 or display\$3 or mark\$3 or analyz\$3 or label\$4 or categoriz\$3 or pinpoint\$3 or denot\$3 or indicat\$3) with (constructor\$1 or creator\$1) with (class\$2 or interface\$1 or object\$1) same (user near5 input) and ((717/124 or 717/125 or 717/127 or 717/129 or 717/130)".clss")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 19:14
S51	3	((hit\$4 or encounter\$3) with (breakpoint\$1 or (break adj point\$1))) same ((halt\$3 or interrupt\$3 or paus\$3 or suspend\$3 or stop\$4) with execution) and (((identifi\$6 or identify\$3 or determin\$5 or display\$3 or mark\$3 or analyz\$3 or label\$4 or categoriz\$3 or pinpoint\$3 or denot\$3 or indicat\$3) with (constructor\$1 or creator\$1) with (class\$2 or interface\$1 or object\$1)) and ((set\$4 or insert\$3 or establish\$3 or embed\$4 or designat\$3 or anchor\$3 or install\$5 or implement\$5 or creat\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 17:51
S52	9	((identifi\$6 or identify\$3 or determin\$5 or display\$3 or mark\$3 or analyz\$3 or label\$4 or categoriz\$3 or pinpoint\$3 or denot\$3 or indicat\$3) with (constructor\$1 or creator\$1) with (class\$2 or interface\$1 or object\$1) same user\$1) and ((set\$4 or insert\$3 or establish\$3 or embed\$4 or designat\$3 or anchor\$3 or install\$5 or implement\$5 or creat\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 17:51

S53	6	((select\$3 or choos\$3 or chose\$1 or elect\$3) with (constructor\$1 or creator\$1) with (class\$2 or interface\$1 or object\$1) same user\$1) and ((set\$4 or insert\$3 or establish\$3 or embed\$4 or designat\$3 or anchor\$3 or install\$5 or implement\$5 or creat\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 17:51
S54	2	((select\$3 or choos\$3 or chose\$1 or elect\$3) with (constructor\$1 or creator\$1) with (class\$2 or interface\$1 or object\$1) same user\$1) and ((717/124 or 717/125 or 717/127 or 717/129 or 717/130)".clss")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 17:51
S55	5	((717/124 or 717/125 or 717/127 or 717/129 or 717/130)".clss") and ((select\$3 or choos\$3 or chose\$1 or elect\$3) with (constructor\$1 or creator\$1) with (class\$2 or interface\$1 or object\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:15
S56	2	("5590330").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 13:46
S57	4	(set\$4 or insert\$3 or establish\$3 or embed\$4 or designat\$3 or anchor\$3 or install\$5 or implement\$5 or creat\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1)) with (construct\$1 or constructor\$1 or creator\$1) with (class\$2 or interface\$1 or object\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 18:52
S58	2852	(identifi\$6 or identify\$3 or determin\$5 or display\$3 or mark\$3 or analyz\$3 or label\$4 or categoriz\$3 or pinpoint\$3 or denot\$3 or indicat\$3) with (construct\$1 or constructor\$1 or creator\$1) with (class\$2 or interface\$1 or object\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 18:54

S59	3	((set\$4 or insert\$3 or establish\$3 or embed\$4 or designat\$3 or anchor\$3 or install\$5 or implement\$5 or creat\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1)) with (construct\$1 or constructor\$1 or creator\$1) with (class\$2 or interface\$1 or object\$1)) and ((identifi\$6 or identify\$3 or determin\$5 or display\$3 or mark\$3 or analyz\$3 or label\$4 or categoriz\$3 or pinpoint\$3 or denot\$3 or indicat\$3) with (construct\$1 or constructor\$1 or creator\$1) with (class\$2 or interface\$1 or object\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 18:54
S60	10	"5845125".URPN.	USPAT	OR	OFF	2004/07/19 18:59
S61	9	("5093914" "5560009" "5740440" "5764989" "5778230" "5812850" "5845125" "5848274" "5854931").PN.	USPAT	OR	OFF	2004/07/19 19:01
S62	1013	(remov\$3 or cancel\$4 or delet\$3 or eliminat\$3 or edit\$3) with (breakpoint\$1 or (break adj point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 19:21
S63	5	((identifi\$6 or identify\$3 or determin\$5 or display\$3 or mark\$3 or analyz\$3 or label\$4 or categoriz\$3 or pinpoint\$3 or denot\$3 or indicat\$3) with (construct\$1 or constructor\$1 or creator\$1) with (class\$2 or interface\$1 or object\$1)) and ((remov\$3 or cancel\$4 or delet\$3 or eliminat\$3 or edit\$3) with (breakpoint\$1 or (break adj point\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 19:22
S64	13	((identifi\$6 or identify\$3 or determin\$5 or display\$3 or mark\$3 or analyz\$3 or label\$4 or categoriz\$3 or pinpoint\$3 or denot\$3 or indicat\$3) with (constructor\$1 or creator\$1) with (class\$2 or interface\$1 or object\$1)) and ((set\$4 or insert\$3 or establish\$3 or embed\$4 or designat\$3 or anchor\$3 or install\$5 or implement\$5 or creat\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/20 17:14

S65	176	((interact\$6 same debug\$4) and ((717/124 or 717/125 or 717/128 or 717/129 or 717/166)".clss")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 11:56
S66	18	((interact\$6 same debug\$4) and ((717/124 or 717/125 or 717/128 or 717/129 or 717/166)".clss")) and ((object adj oriented) same (class\$2 with (abstract or parent or interface\$1 or base or super)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 11:58
S67	14	((user\$1 or client\$1) near4 (input\$4 or request\$3 or prompt\$3 or command\$3)) with set\$4 with ((break?point\$1) or (break adj point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 14:05
S10 1	12409	(class\$2 near3 (base or parent or abstract or interface\$1 or super)) or superclass\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:32
S10 2	8	S101 with (breakpoint\$1 or (break adj1 point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:11
S10 3	12	("5845125").URPN.	USPAT	OR	OFF	2005/04/28 14:08
S10 4	4	("4827404" "4885717" "5093914" "5432903").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/28 14:08
S10 5	16	S103 or S104	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/28 14:08
S10 6	0	S105 with (breakpoint\$1 or (break adj1 point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:29
S10 7	7	S105 and (breakpoint\$1 or (break adj1 point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:09
S10 8	3	S107 and ((breakpoint\$1 or (break adj1 point\$1)) with class\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:09

S10 9	2	S107 and ((class\$2 near5 (base or parent or abstract or interface\$1 or super)) or superclass\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:10
S11 0	138	class\$2 with (breakpoint\$1 or (break adj1 point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:31
S11 1	34	S110 and S101	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:12
S11 2	27	S111 and (derived or subclass\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:12
S11 3	9	("5093914" "5560009" "5740440" "5764989" "5778230" "5812850" "5845125" "5848274" "5854931").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/28 14:28
S11 5	8	S113 and (breakpoint\$1 or (break adj1 point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:52
S11 6	5	S115 and (class\$2 with (breakpoint\$1 or (break adj1 point\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:29
S11 7	2421	(method\$1 or function\$1) with (breakpoint\$1 or (break adj1 point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:31
S11 8	52	S117 same (class\$2 with (method\$1 or function\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:14
S11 9	33	S118 and ((class\$2 with (base or parent or abstract or interface\$1 or super)) or superclass\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:32

S12 0	44	(class or inherit\$4) near3 (breakpoint\$1 or (break adj1 point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:52
S12 1	331	S117 and ((inherit\$4 or deriv\$3) with (method\$1 or function\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:14
S12 2	74	S121 and (class\$2 with (method\$1 or function\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:15
S12 3	218	(717/129)".class"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:16
S12 4	7	S122 and S123	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:16